

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	3024	713/200.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 19:34
L3	1156	707/9.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 19:34
S1	6	((("6047377") or ("5265221") or ("6473791")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/25 08:11
S2	6	((("6519766") or ("6529948") or ("5970244")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/25 08:13
S4	0	bussiness adj logic same security	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 08:15
S5	358	business adj logic same security	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 08:15
S6	0	bussiness adj logic same securit\$3 with polic\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 08:15
S7	0	bussiness adj logic andsecurit\$3 with polic\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 08:15
S8	0	bussiness adj logic and securit\$3 with polic\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 08:15
S9	0	bussiness adj logic and securit\$3 same polic\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 08:15

S10	352	business adj logic and securit\$3 same polic\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 08:15
S11	249	business adj logic and securit\$3 with polic\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 08:16
S12	19	business adj logic same securit\$3 with polic\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 09:53
S13	2	pluggable near3 security adj polic\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 09:54
S14	6691	security near3 object	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 09:54
S15	174	security near3 object and business adj logic	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 09:54
S16	174	security near3 object and business adj logic and (user permission access\$3 right level application request\$3 test\$3 check\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 11:33
S17	133	security near2 object and business adj logic and (user permission access\$3 right level application request\$3 test\$3 check\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 15:16
S18	35	murren-\$-.inv.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 13:14
S19	19136	(securit\$3 polic\$3 rule permission) with (assign\$3 set\$4 configur\$3) with (user client applicat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 13:36

S20	863	(securit\$3 polic\$3 rule permission) with (assign\$3 set\$4 configur\$3) with (user client applicat\$3) and business adj logic	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 13:36
S21	2	(securit\$3 polic\$3 rule permission) with (assign\$3 set\$4 configur\$3) with (user client applicat\$3) and business adj logic and (high adj level near\$3 permission)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 13:36
S22	104	(securit\$3 polic\$3 rule permission) with (assign\$3 set\$4 configur\$3) with (user client applicat\$3) and business adj logic and (securit\$3 polic\$3 rule permission) adj object	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 16:04
S23	104	(securit\$3 polic\$3 rule permission assign\$3 set\$4 configur\$3 user client applicat\$3 business logic securit\$3 polic\$3 rule permission object validat\$3 check\$3 verif\$8 authoriz\$6 allow\$3 fail\$3) and S22	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 16:33
S24	68	(securit\$3 polic\$3 rule permission) with (assign\$3 set\$4 configur\$3) with (user client applicat\$3) and business adj logic and (securit\$3 polic\$3 rule permission) adj object and (validat\$3 check\$3 verif\$8) with (securit\$3 polic\$3 rule permission)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 13:47
S25	50	(securit\$3 polic\$3 rule permission) with (assign\$3 set\$4 configur\$3) with (user)and (securit\$3 polic\$3 rule permission) with (assign\$3 set\$4 configur\$3) with (user client applicat\$3) and business adj logic and (securit\$3 polic\$3 rule permission) adj object and (validat\$3 check\$3 verif\$8) with (securit\$3 polic\$3 rule permission)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 13:58
S26	114	(securit\$3 polic\$3 rule permission) with (assign\$3 set\$4 configur\$3) with (user)and (securit\$3 polic\$3 rule permission) with (assign\$3 set\$4 configur\$3) with (user client applicat\$3) and business adj logic and (securit\$3 polic\$3 rule permission) adj (object module logic) and (validat\$3 check\$3 verif\$8) with (securit\$3 polic\$3 rule permission)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 13:59

S27	51	(securit\$3 polic\$3 rule permission) with (assign\$3 set\$4 configur\$3) with (user)and (securit\$3 polic\$3 rule permission) with (assign\$3 set\$4 configur\$3) with (user client applicat\$3) and business adj logic and (securit\$3 polic\$3 rule permission) adj (object module logic) same (validat\$3 check\$3 verif\$8) with (securit\$3 polic\$3 rule permission)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 15:14
S28	12	09/135397	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 15:09
S29	12	(securit\$3 polic\$3 rule permission assign\$3 set\$4 configur\$3 user client applicat\$3 business logic securit\$3 polic\$3 rule permission object validat\$3 check\$3 verif\$8 authoriz\$6 allow\$3 fail\$3) and S28	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 15:10
S30	12	(securit\$3 polic\$3 rule permission assign\$3 set\$4 configur\$3 user client applicat\$3 business logic securit\$3 polic\$3 rule permission object validat\$3 check\$3 verif\$8 authoriz\$6 allow\$3 fail\$3 request\$3) and S28	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 15:12
S31	2	09/760540	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 15:12
S32	4	"6792462"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 15:12
S33	59	(securit\$3 polic\$3 rule permission) with (assign\$3 set\$4 configur\$3) with (user client applicat\$3) and business adj (layer logic) and (securit\$3 polic\$3 rule permission) adj (object module logic) same (validat\$3 check\$3 verif\$8) with (securit\$3 polic\$3 rule permission)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 15:15
S34	46	S33 not S25	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 15:14

S35	2	(securit\$3 polic\$3 rule permission) with (assign\$3 set\$4 configur\$3) with (user client applicat\$3) and business adj (layer logic) and business adj layer and (securit\$3 polic\$3 rule permission) adj (object module logic) same (validat\$3 check\$3 verif\$8) with (securit\$3 polic\$3 rule permission)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 17:29
S36	190	business adj layer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 15:16
S37	92	business adj layer and business adj logic	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 15:16
S38	89	security near2 object and business adj logic and (user permission access\$3 right level application request\$3 test\$3 check\$3) and (securit\$3 polic\$3 rule permission) with (assign\$3 set\$4 configur\$3) with (user client applicat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 15:17
S39	58	security near2 object and business adj logic and (user permission access\$3 right level application request\$3 test\$3 check\$3) and (securit\$3 polic\$3 rule permission) with (assign\$3 set\$4 configur\$3) with (user client applicat\$3) and (securit\$3 polic\$3 rule permission) adj (object polic\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 15:19
S40	17	security near2 object and (request\$3 with (business adj logic)) and (user permission access\$3 right level application request\$3 test\$3 check\$3) and (securit\$3 polic\$3 rule permission) with (assign\$3 set\$4 configur\$3) with (user client applicat\$3) and (securit\$3 polic\$3 rule permission) adj (object polic\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 15:23
S41	39300	(Rule security permission) near2 (based policy object)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 16:06

S42	197	(Rule security permission) near2 (based policy object) and request\$3 with (business adj logic)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 16:06
S43	98	(Rule security permission) near2 (based policy object) and request\$3 with (business adj logic) and (validat\$3 check\$3) with (rule security permission) and user with (rule security permission)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 16:09
S44	63	(Rule security permission) near2 (based policy object) and request\$3 with (business adj logic) and (validat\$3 check\$3) with (rule security permission) and user with (rule security permission) and granul\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 16:09
S45	56	(Rule security permission) near2 (based policy object) and request\$3 with (business adj logic) and (validat\$3 check\$3) with (rule security permission) and user with (rule security permission) and granul\$ and object adj orient\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 16:10
S46	56	(securit\$3 polic\$3 rule permission assign\$3 set\$4 configur\$3 user client applicat\$3 business logic securit\$3 polic\$3 rule permission object validat\$3 check\$3 verif\$8 authoriz\$6 allow\$3 fail\$3 based request\$3 granul\$) and S45	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 17:55
S47	138	(securit\$3 polic\$3 rule permission) with business adj (logic) and (securit\$3 polic\$3 rule permission) adj (object module logic) and (validat\$3 check\$3 verif\$8) with (securit\$3 polic\$3 rule permission)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 17:31
S48	53	(securit\$3 polic\$3 rule permission) with business adj (logic) and (securit\$3 polic\$3 rule permission) adj (object module logic) and (validat\$3 check\$3 verif\$8) with (securit\$3 polic\$3 rule permission) and granul\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 17:33
S49	85	S47 not S48	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 17:36

S50	85	S47 not S48 and user	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 17:36
S51	23	(US-20010047282-\$ or US-20020065879-\$ or US-20030154172-\$ or US-20030145124-\$ or US-20030115487-\$ or US-20030023473-\$ or US-20030009357-\$).did. or (US-6473791-\$ or US-6047377-\$ or US-5265221-\$ or US-6820082-\$ or US-6016477-\$ or US-6385724-\$ or US-6487665-\$ or US-6523027-\$ or US-6560592-\$ or US-6574736-\$ or US-6601233-\$ or US-6792462-\$ or US-6442620-\$ or US-6473748-\$ or US-6779155-\$).did. or (US-6604198-\$).did.	US-PGPUB; USPAT; DERWENT	OR	ON	2005/05/25 17:54
S52	23	(securit\$3 polic\$3 rule permission assign\$3 set\$4 configur\$3 user client applicat\$3 business logic securit\$3 polic\$3 rule permission object validat\$3 check\$3 verif\$8 authoriz\$6 allow\$3 fail\$3 based request\$3 granul\$) and S51	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 17:58
S53	23	(securit\$3 polic\$3 rule permission assign\$3 set\$4 configur\$3 user client applicat\$3 business logic securit\$3 polic\$3 rule permission object validat\$3 check\$3 verif\$8 authoriz\$6 allow\$3 fail\$3 based request\$3 granul\$ test\$3) and S51	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 19:34